



# BARGE "WEB 126"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 CENTER	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 161'-06"

January 19, 2010

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE WEB 126"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	139,080	0	130,069	0	121,059	0	112,048	0	102,393	0	92,024	0	81,650
1/4		1/4		1/4		1/4	138,892	1/4	129,882	1/4	120,871	1/4	111,860	1/4	102,177	1/4	91,808	1/4	81,434
1/2		1/2		1/2		1/2	138,705	1/2	129,694	1/2	120,683	1/2	111,673	1/2	101,961	1/2	91,591	1/2	81,218
3/4		3/4		3/4		3/4	138,517	3/4	129,506	3/4	120,496	3/4	111,485	3/4	101,745	3/4	91,375	3/4	81,002
1		1		1		1	138,329	1	129,318	1	120,308	1	111,297	1	101,529	1	91,159	1	80,786
1/4		1/4		1/4		1/4	138,141	1/4	129,131	1/4	120,120	1/4	111,109	1/4	101,312	1/4	90,943	1/4	80,569
1/2		1/2		1/2		1/2	137,954	1/2	128,943	1/2	119,932	1/2	110,922	1/2	101,097	1/2	90,727	1/2	80,353
3/4		3/4		3/4		3/4	137,766	3/4	128,755	3/4	119,745	3/4	110,734	3/4	100,881	3/4	90,511	3/4	80,137
2		2		2		2	137,578	2	128,568	2	119,557	2	110,546	2	100,665	2	90,295	2	79,921
1/4		1/4		1/4		1/4	137,391	1/4	128,380	1/4	119,369	1/4	110,358	1/4	100,449	1/4	90,079	1/4	79,705
1/2		1/2		1/2		1/2	137,203	1/2	128,192	1/2	119,181	1/2	110,171	1/2	100,233	1/2	89,862	1/2	79,489
3/4		3/4		3/4		3/4	137,015	3/4	128,004	3/4	118,994	3/4	109,984	3/4	100,017	3/4	89,646	3/4	79,273
3		3		3		3	136,827	3	127,817	3	118,806	3	109,797	3	99,801	3	89,430	3	79,057
1/4		1/4		1/4		1/4	136,640	1/4	127,629	1/4	118,618	1/4	109,610	1/4	99,585	1/4	89,214	1/4	78,841
1/2		1/2		1/2		1/2	136,452	1/2	127,441	1/2	118,431	1/2	109,423	1/2	99,369	1/2	88,998	1/2	78,624
3/4		3/4		3/4		3/4	144,380	3/4	136,254	3/4	118,243	3/4	109,235	3/4	99,153	3/4	88,782	3/4	78,408
4		4		4		4	144,362	4	136,077	4	118,055	4	109,048	4	98,937	4	88,566	4	78,192
1/4		1/4		1/4		1/4	144,344	1/4	135,889	1/4	117,867	1/4	108,861	1/4	98,721	1/4	88,350	1/4	77,976
1/2		1/2		1/2		1/2	144,272	1/2	135,701	1/2	117,680	1/2	108,674	1/2	98,505	1/2	88,134	1/2	77,760
3/4		3/4		3/4		3/4	144,200	3/4	135,513	3/4	117,492	3/4	108,487	3/4	98,289	3/4	87,917	3/4	77,544
5		5		5		5	144,127	5	135,326	5	117,304	5	108,300	5	98,073	5	87,701	5	77,328
1/4		1/4		1/4		1/4	144,055	1/4	135,138	1/4	117,116	1/4	108,112	1/4	97,857	1/4	87,485	1/4	77,112
1/2		1/2		1/2		1/2	143,911	1/2	134,950	1/2	116,929	1/2	107,925	1/2	97,641	1/2	87,269	1/2	76,895
3/4		3/4		3/4		3/4	143,766	3/4	134,762	3/4	116,741	3/4	107,738	3/4	97,426	3/4	87,053	3/4	76,679
6		6		6		6	143,622	6	134,575	6	116,553	6	107,551	6	97,210	6	86,837	6	76,463
1/4		1/4		1/4		1/4	143,477	1/4	134,387	1/4	116,366	1/4	107,364	1/4	96,994	1/4	86,621	1/4	76,247
1/2		1/2		1/2		1/2	143,270	1/2	134,199	1/2	116,178	1/2	107,148	1/2	96,778	1/2	86,405	1/2	76,031
3/4		3/4		3/4		3/4	143,062	3/4	134,012	3/4	115,990	3/4	106,932	3/4	96,562	3/4	86,188	3/4	75,815
7		7		7		7	142,854	7	133,824	7	115,802	7	106,715	7	96,346	7	85,972	7	75,599
1/4		1/4		1/4		1/4	142,647	1/4	133,636	1/4	115,615	1/4	106,499	1/4	96,130	1/4	85,756	1/4	75,383
1/2		1/2		1/2		1/2	142,459	1/2	133,448	1/2	115,427	1/2	106,283	1/2	95,914	1/2	85,540	1/2	75,167
3/4		3/4		3/4		3/4	142,271	3/4	133,261	3/4	115,239	3/4	106,067	3/4	95,698	3/4	85,324	3/4	74,950
8		8		8		8	142,084	8	133,073	8	115,052	8	105,851	8	95,481	8	85,108	8	74,734
1/4		1/4		1/4		1/4	141,896	1/4	132,885	1/4	114,864	1/4	105,635	1/4	95,265	1/4	84,892	1/4	74,518
1/2		1/2		1/2		1/2	141,708	1/2	132,697	1/2	114,676	1/2	105,419	1/2	95,049	1/2	84,676	1/2	74,302
3/4		3/4		3/4		3/4	141,520	3/4	132,510	3/4	114,488	3/4	105,203	3/4	94,833	3/4	84,460	3/4	74,086
9		9		9		9	141,333	9	132,322	9	114,301	9	104,986	9	94,617	9	84,243	9	73,870
1/4		1/4		1/4		1/4	141,145	1/4	132,134	1/4	114,113	1/4	104,770	1/4	94,401	1/4	84,027	1/4	73,654
1/2		1/2		1/2		1/2	140,957	1/2	131,947	1/2	113,925	1/2	104,554	1/2	94,185	1/2	83,811	1/2	73,438
3/4		3/4		3/4		3/4	140,770	3/4	131,759	3/4	113,737	3/4	104,338	3/4	93,969	3/4	83,595	3/4	73,222
10		10		10		10	140,582	10	131,571	10	113,550	10	104,122	10	93,753	10	83,379	10	73,006
1/4		1/4		1/4		1/4	140,394	1/4	131,383	1/4	113,362	1/4	103,906	1/4	93,536	1/4	83,163	1/4	72,790
1/2		1/2		1/2		1/2	140,206	1/2	131,196	1/2	113,174	1/2	103,690	1/2	93,320	1/2	82,947	1/2	72,574
3/4		3/4		3/4		3/4	140,019	3/4	131,008	3/4	112,987	3/4	103,474	3/4	93,104	3/4	82,731	3/4	72,358
11		11		11		11	139,831	11	130,820	11	112,799	11	103,258	11	92,888	11	82,514	11	72,142
1/4		1/4		1/4		1/4	139,643	1/4	130,633	1/4	112,611	1/4	103,041	1/4	92,672	1/4	82,298	1/4	71,927
1/2		1/2		1/2		1/2	139,456	1/2	130,445	1/2	112,423	1/2	102,825	1/2	92,456	1/2	82,082	1/2	71,711
3/4		3/4		3/4		3/4	139,268	3/4	130,257	3/4	112,236	3/4	102,609	3/4	92,240	3/4	81,866	3/4	71,495

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 25'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE WEB 126"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	71,279	0	60,916	0	50,547	0	40,178	0	29,810	0	19,530	0	9,311	0	73	0			0
1/4	71,063	1/4	60,700	1/4	50,331	1/4	39,962	1/4	29,594	1/4	19,321	1/4	9,095	1/4	37	1/4			1/4
1/2	70,847	1/2	60,484	1/2	50,115	1/2	39,746	1/2	29,378	1/2	19,111	1/2	8,878	1/2		1/2			1/2
3/4	70,632	3/4	60,268	3/4	49,899	3/4	39,530	3/4	29,162	3/4	18,902	3/4	8,661	3/4		3/4			3/4
1	70,416	1	60,052	1	49,683	1	39,314	1	28,946	1	18,693	1	8,445	1		1			1
1/4	70,200	1/4	59,836	1/4	49,467	1/4	39,098	1/4	28,729	1/4	18,484	1/4	8,228	1/4		1/4			1/4
1/2	69,984	1/2	59,620	1/2	49,251	1/2	38,882	1/2	28,513	1/2	18,275	1/2	8,011	1/2		1/2			1/2
3/4	69,768	3/4	59,404	3/4	49,035	3/4	38,666	3/4	28,297	3/4	18,065	3/4	7,795	3/4		3/4			3/4
2	69,552	2	59,188	2	48,819	2	38,450	2	28,081	2	17,856	2	7,578	2		2			2
1/4	69,337	1/4	58,972	1/4	48,603	1/4	38,234	1/4	27,865	1/4	17,647	1/4	7,361	1/4		1/4			1/4
1/2	69,121	1/2	58,756	1/2	48,387	1/2	38,018	1/2	27,649	1/2	17,438	1/2	7,145	1/2		1/2			1/2
3/4	68,905	3/4	58,540	3/4	48,171	3/4	37,802	3/4	27,432	3/4	17,229	3/4	6,928	3/4		3/4			3/4
3	68,689	3	58,324	3	47,955	3	37,586	3	27,216	3	17,019	3	6,711	3		3			3
1/4	68,473	1/4	58,108	1/4	47,739	1/4	37,370	1/4	26,999	1/4	16,810	1/4	6,495	1/4		1/4			1/4
1/2	68,258	1/2	57,892	1/2	47,523	1/2	37,154	1/2	26,783	1/2	16,601	1/2	6,278	1/2		1/2			1/2
3/4	68,042	3/4	57,676	3/4	47,307	3/4	36,938	3/4	26,566	3/4	16,392	3/4	6,062	3/4		3/4			3/4
4	67,826	4	57,460	4	47,091	4	36,722	4	26,350	4	16,183	4	5,845	4		4			4
1/4	67,610	1/4	57,244	1/4	46,875	1/4	36,506	1/4	26,133	1/4	15,973	1/4	5,628	1/4		1/4			1/4
1/2	67,394	1/2	57,028	1/2	46,659	1/2	36,290	1/2	25,917	1/2	15,764	1/2	5,412	1/2		1/2			1/2
3/4	67,178	3/4	56,812	3/4	46,443	3/4	36,074	3/4	25,700	3/4	15,555	3/4	5,195	3/4		3/4			3/4
5	66,963	5	56,596	5	46,227	5	35,858	5	25,484	5	15,345	5	4,979	5		5			5
1/4	66,747	1/4	56,380	1/4	46,011	1/4	35,642	1/4	25,267	1/4	15,136	1/4	4,763	1/4		1/4			1/4
1/2	66,531	1/2	56,164	1/2	45,795	1/2	35,426	1/2	25,051	1/2	14,925	1/2	4,547	1/2		1/2			1/2
3/4	66,315	3/4	55,948	3/4	45,579	3/4	35,210	3/4	24,834	3/4	14,715	3/4	4,331	3/4		3/4			3/4
6	66,099	6	55,732	6	45,363	6	34,994	6	24,618	6	14,505	6	4,115	6		6			6
1/4	65,884	1/4	55,516	1/4	45,147	1/4	34,778	1/4	24,401	1/4	14,295	1/4	3,899	1/4		1/4			1/4
1/2	65,668	1/2	55,300	1/2	44,931	1/2	34,562	1/2	24,185	1/2	14,078	1/2	3,684	1/2		1/2			1/2
3/4	65,452	3/4	55,084	3/4	44,715	3/4	34,346	3/4	23,969	3/4	13,861	3/4	3,468	3/4		3/4			3/4
7	65,236	7	54,868	7	44,499	7	34,130	7	23,752	7	13,645	7	3,253	7		7			7
1/4	65,020	1/4	54,652	1/4	44,283	1/4	33,914	1/4	23,536	1/4	13,428	1/4	3,038	1/4		1/4			1/4
1/2	64,804	1/2	54,436	1/2	44,067	1/2	33,698	1/2	23,320	1/2	13,211	1/2	2,824	1/2		1/2			1/2
3/4	64,588	3/4	54,220	3/4	43,851	3/4	33,482	3/4	23,103	3/4	12,995	3/4	2,611	3/4		3/4			3/4
8	64,372	8	54,004	8	43,635	8	33,266	8	22,887	8	12,778	8	2,397	8		8			8
1/4	64,157	1/4	53,788	1/4	43,419	1/4	33,050	1/4	22,671	1/4	12,561	1/4	2,183	1/4		1/4			1/4
1/2	63,941	1/2	53,572	1/2	43,203	1/2	32,834	1/2	22,461	1/2	12,345	1/2	1,971	1/2		1/2			1/2
3/4	63,725	3/4	53,356	3/4	42,987	3/4	32,618	3/4	22,251	3/4	12,128	3/4	1,759	3/4		3/4			3/4
9	63,508	9	53,140	9	42,771	9	32,402	9	22,041	9	11,911	9	1,548	9		9			9
1/4	63,292	1/4	52,924	1/4	42,555	1/4	32,186	1/4	21,831	1/4	11,695	1/4	1,336	1/4		1/4			1/4
1/2	63,076	1/2	52,708	1/2	42,339	1/2	31,970	1/2	21,622	1/2	11,478	1/2	1,156	1/2		1/2			1/2
3/4	62,860	3/4	52,492	3/4	42,123	3/4	31,754	3/4	21,413	3/4	11,261	3/4	975	3/4		3/4			3/4
10	62,644	10	52,276	10	41,907	10	31,538	10	21,203	10	11,045	10	795	10		10			10
1/4	62,428	1/4	52,060	1/4	41,691	1/4	31,322	1/4	20,994	1/4	10,828	1/4	615	1/4		1/4			1/4
1/2	62,212	1/2	51,843	1/2	41,475	1/2	31,106	1/2	20,785	1/2	10,611	1/2	507	1/2		1/2			1/2
3/4	61,996	3/4	51,627	3/4	41,259	3/4	30,890	3/4	20,576	3/4	10,395	3/4	398	3/4		3/4			3/4
11	61,780	11	51,411	11	41,043	11	30,674	11	20,367	11	10,178	11	290	11		11			11
1/4	61,564	1/4	51,195	1/4	40,827	1/4	30,458	1/4	20,157	1/4	9,961	1/4	182	1/4		1/4			1/4
1/2	61,348	1/2	50,979	1/2	40,611	1/2	30,242	1/2	19,948	1/2	9,745	1/2	146	1/2		1/2			1/2
3/4	61,132	3/4	50,763	3/4	40,395	3/4	30,026	3/4	19,739	3/4	9,528	3/4	109	3/4		3/4			3/4

STRAPPED: 01/19/2010 CL - SW  
CALCULATED: 01/19/2010 CL  
PRINTED: 01/19/2010 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE WEB 126"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		
0	0	0	0	0	0	161,466	0	149,842	0	138,217	0	126,592	0	114,967	0	103,342	0	91,717		
1/4	1/4	1/4	1/4	1/4	1/4	161,224	1/4	149,599	1/4	137,974	1/4	126,350	1/4	114,725	1/4	103,100	1/4	91,475		
1/2	1/2	1/2	1/2	1/2	1/2	160,982	1/2	149,357	1/2	137,732	1/2	126,107	1/2	114,483	1/2	102,858	1/2	91,233		
3/4	3/4	3/4	3/4	3/4	3/4	160,740	3/4	149,115	3/4	137,490	3/4	125,865	3/4	114,240	3/4	102,615	3/4	90,991		
1	1	1	1	1	1	160,498	1	148,873	1	137,248	1	125,623	1	113,998	1	102,373	1	90,748		
1/4	1/4	1/4	1/4	1/4	1/4	160,256	1/4	148,631	1/4	137,006	1/4	125,381	1/4	113,756	1/4	102,131	1/4	90,506		
1/2	1/2	1/2	1/2	1/2	1/2	160,013	1/2	148,388	1/2	136,764	1/2	125,139	1/2	113,514	1/2	101,889	1/2	90,264		
3/4	3/4	3/4	3/4	3/4	3/4	159,771	3/4	148,146	3/4	136,521	3/4	124,896	3/4	113,272	3/4	101,647	3/4	90,022		
2	2	2	2	2	2	159,529	2	147,904	2	136,279	2	124,654	2	113,029	2	101,404	2	89,780		
1/4	1/4	1/4	1/4	1/4	1/4	159,287	1/4	147,662	1/4	136,037	1/4	124,412	1/4	112,787	1/4	101,162	1/4	89,537		
1/2	1/2	1/2	1/2	1/2	1/2	159,045	1/2	147,420	1/2	135,795	1/2	124,170	1/2	112,545	1/2	100,920	1/2	89,295		
3/4	3/4	3/4	3/4	3/4	3/4	158,802	3/4	147,178	3/4	135,553	3/4	123,928	3/4	112,303	3/4	100,678	3/4	89,053		
3	3	3	3	3	3	158,560	3	146,935	3	135,310	3	123,686	3	112,061	3	100,436	3	88,811		
1/4	1/4	1/4	1/4	1/4	1/4	158,318	1/4	146,693	1/4	135,068	1/4	123,443	1/4	111,818	1/4	100,194	1/4	88,569		
1/2	1/2	1/2	1/2	1/2	1/2	158,076	1/2	146,451	1/2	134,826	1/2	123,201	1/2	111,576	1/2	99,951	1/2	88,326		
3/4	3/4	3/4	3/4	3/4	3/4	157,834	3/4	146,209	3/4	134,584	3/4	122,959	3/4	111,334	3/4	99,709	3/4	88,084		
4	4	4	4	4	167,763	4	157,591	4	145,967	4	134,342	4	122,717	4	111,092	4	99,467	4	87,842	
1/4	1/4	1/4	1/4	1/4	167,743	1/4	157,349	1/4	145,724	1/4	134,100	1/4	122,475	1/4	110,850	1/4	99,225	1/4	87,600	
1/2	1/2	1/2	1/2	1/2	167,723	1/2	157,107	1/2	145,482	1/2	133,857	1/2	122,232	1/2	110,608	1/2	98,983	1/2	87,358	
3/4	3/4	3/4	3/4	3/4	167,642	3/4	156,865	3/4	145,240	3/4	133,615	3/4	121,990	3/4	110,365	3/4	98,740	3/4	87,116	
5	5	5	5	5	167,561	5	156,623	5	144,998	5	133,373	5	121,748	5	110,123	5	98,498	5	86,873	
1/4	1/4	1/4	1/4	1/4	167,481	1/4	156,381	1/4	144,756	1/4	133,131	1/4	121,506	1/4	109,881	1/4	98,256	1/4	86,631	
1/2	1/2	1/2	1/2	1/2	167,400	1/2	156,138	1/2	144,513	1/2	132,889	1/2	121,264	1/2	109,639	1/2	98,014	1/2	86,389	
3/4	3/4	3/4	3/4	3/4	167,239	3/4	155,896	3/4	144,271	3/4	132,646	3/4	121,022	3/4	109,397	3/4	97,772	3/4	86,147	
6	6	6	6	6	167,077	6	155,654	6	144,029	6	132,404	6	120,779	6	109,154	6	97,530	6	85,905	
1/4	1/4	1/4	1/4	1/4	166,916	1/4	155,412	1/4	143,787	1/4	132,162	1/4	120,537	1/4	108,912	1/4	97,287	1/4	85,662	
1/2	1/2	1/2	1/2	1/2	166,754	1/2	155,170	1/2	143,545	1/2	131,920	1/2	120,295	1/2	108,670	1/2	97,045	1/2	85,420	
3/4	3/4	3/4	3/4	3/4	166,522	3/4	154,927	3/4	143,303	3/4	131,678	3/4	120,053	3/4	108,428	3/4	96,803	3/4	85,178	
7	7	7	7	7	166,290	7	154,685	7	143,060	7	131,435	7	119,811	7	108,186	7	96,561	7	84,936	
1/4	1/4	1/4	1/4	1/4	166,058	1/4	154,443	1/4	142,818	1/4	131,193	1/4	119,568	1/4	107,944	1/4	96,319	1/4	84,694	
1/2	1/2	1/2	1/2	1/2	165,826	1/2	154,201	1/2	142,576	1/2	130,951	1/2	119,326	1/2	107,701	1/2	96,076	1/2	84,452	
3/4	3/4	3/4	3/4	3/4	165,584	3/4	153,959	3/4	142,334	3/4	130,709	3/4	119,084	3/4	107,459	3/4	95,834	3/4	84,209	
8	8	8	8	8	165,341	8	153,717	8	142,092	8	130,467	8	118,842	8	107,217	8	95,592	8	83,967	
1/4	1/4	1/4	1/4	1/4	165,099	1/4	153,474	1/4	141,849	1/4	130,225	1/4	118,600	1/4	106,975	1/4	95,350	1/4	83,725	
1/2	1/2	1/2	1/2	1/2	164,857	1/2	153,232	1/2	141,607	1/2	129,982	1/2	118,357	1/2	106,733	1/2	95,108	1/2	83,483	
3/4	3/4	3/4	3/4	3/4	164,615	3/4	152,990	3/4	141,365	3/4	129,740	3/4	118,115	3/4	106,490	3/4	94,865	3/4	83,241	
9	9	9	9	9	164,373	9	152,748	9	141,123	9	129,498	9	117,873	9	106,248	9	94,623	9	82,998	
1/4	1/4	1/4	1/4	1/4	164,130	1/4	152,506	1/4	140,881	1/4	129,256	1/4	117,631	1/4	106,006	1/4	94,381	1/4	82,756	
1/2	1/2	1/2	1/2	1/2	163,888	1/2	152,263	1/2	140,639	1/2	129,014	1/2	117,389	1/2	105,764	1/2	94,139	1/2	82,514	
3/4	3/4	3/4	3/4	3/4	163,646	3/4	152,021	3/4	140,396	3/4	128,771	3/4	117,147	3/4	105,522	3/4	93,897	3/4	82,272	
10	10	10	10	10	163,404	10	151,779	10	140,154	10	128,529	10	116,904	10	105,279	10	93,655	10	82,030	
1/4	1/4	1/4	1/4	1/4	163,162	1/4	151,537	1/4	139,912	1/4	128,287	1/4	116,662	1/4	105,037	1/4	93,412	1/4	81,787	
1/2	1/2	1/2	1/2	1/2	162,920	1/2	151,295	1/2	139,670	1/2	128,045	1/2	116,420	1/2	104,795	1/2	93,170	1/2	81,545	
3/4	3/4	3/4	3/4	3/4	162,677	3/4	151,052	3/4	139,428	3/4	127,803	3/4	116,178	3/4	104,553	3/4	92,928	3/4	81,303	
11	11	11	11	11	162,435	11	150,810	11	139,185	11	127,561	11	115,936	11	104,311	11	92,686	11	81,061	
1/4	1/4	1/4	1/4	1/4	162,193	1/4	150,568	1/4	138,943	1/4	127,318	1/4	115,693	1/4	104,069	1/4	92,444	1/4	80,819	
1/2	1/2	1/2	1/2	1/2	161,951	1/2	150,326	1/2	138,701	1/2	127,076	1/2	115,451	1/2	103,826	1/2	92,201	1/2	80,577	
3/4	3/4	3/4	3/4	3/4	161,709	3/4	150,084	3/4	138,459	3/4	126,834	3/4	115,209	3/4	103,584	3/4	91,959	3/4	80,334	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 32'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE WEB 126"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	80,092	0	68,467	0	56,842	0	45,218	0	33,593	0	22,074	0	10,647	0	118	0			
1/4	79,850	1/4	68,225	1/4	56,600	1/4	44,975	1/4	33,350	1/4	21,839	1/4	10,405	1/4	78	1/4			
1/2	79,608	1/2	67,983	1/2	56,358	1/2	44,733	1/2	33,108	1/2	21,605	1/2	10,163	1/2	37	1/2			
3/4	79,366	3/4	67,741	3/4	56,116	3/4	44,491	3/4	32,866	3/4	21,370	3/4	9,921	3/4		3/4			
1	79,123	1	67,499	1	55,874	1	44,249	1	32,624	1	21,136	1	9,679	1		1			
1/4	78,881	1/4	67,256	1/4	55,631	1/4	44,007	1/4	32,382	1/4	20,901	1/4	9,436	1/4		1/4			
1/2	78,639	1/2	67,014	1/2	55,389	1/2	43,764	1/2	32,140	1/2	20,667	1/2	9,194	1/2		1/2			
3/4	78,397	3/4	66,772	3/4	55,147	3/4	43,522	3/4	31,897	3/4	20,432	3/4	8,952	3/4		3/4			
2	78,155	2	66,530	2	54,905	2	43,280	2	31,655	2	20,198	2	8,710	2		2			
1/4	77,913	1/4	66,288	1/4	54,663	1/4	43,038	1/4	31,413	1/4	19,963	1/4	8,468	1/4		1/4			
1/2	77,670	1/2	66,045	1/2	54,421	1/2	42,796	1/2	31,171	1/2	19,729	1/2	8,226	1/2		1/2			
3/4	77,428	3/4	65,803	3/4	54,178	3/4	42,553	3/4	30,929	3/4	19,494	3/4	7,983	3/4		3/4			
3	77,186	3	65,561	3	53,936	3	42,311	3	30,686	3	19,260	3	7,741	3		3			
1/4	76,944	1/4	65,319	1/4	53,694	1/4	42,069	1/4	30,444	1/4	19,025	1/4	7,499	1/4		1/4			
1/2	76,702	1/2	65,077	1/2	53,452	1/2	41,827	1/2	30,202	1/2	18,791	1/2	7,257	1/2		1/2			
3/4	76,459	3/4	64,835	3/4	53,210	3/4	41,585	3/4	29,960	3/4	18,556	3/4	7,015	3/4		3/4			
4	76,217	4	64,592	4	52,967	4	41,343	4	29,718	4	18,322	4	6,772	4		4			
1/4	75,975	1/4	64,350	1/4	52,725	1/4	41,100	1/4	29,475	1/4	18,087	1/4	6,530	1/4		1/4			
1/2	75,733	1/2	64,108	1/2	52,483	1/2	40,858	1/2	29,233	1/2	17,853	1/2	6,288	1/2		1/2			
3/4	75,491	3/4	63,866	3/4	52,241	3/4	40,616	3/4	28,991	3/4	17,618	3/4	6,046	3/4		3/4			
5	75,248	5	63,624	5	51,999	5	40,374	5	28,749	5	17,384	5	5,804	5		5			
1/4	75,006	1/4	63,381	1/4	51,757	1/4	40,132	1/4	28,507	1/4	17,149	1/4	5,562	1/4		1/4			
1/2	74,764	1/2	63,139	1/2	51,514	1/2	39,889	1/2	28,265	1/2	16,915	1/2	5,320	1/2		1/2			
3/4	74,522	3/4	62,897	3/4	51,272	3/4	39,647	3/4	28,022	3/4	16,680	3/4	5,079	3/4		3/4			
6	74,280	6	62,655	6	51,030	6	39,405	6	27,780	6	16,445	6	4,838	6		6			
1/4	74,038	1/4	62,413	1/4	50,788	1/4	39,163	1/4	27,538	1/4	16,210	1/4	4,596	1/4		1/4			
1/2	73,795	1/2	62,170	1/2	50,546	1/2	38,921	1/2	27,296	1/2	15,975	1/2	4,355	1/2		1/2			
3/4	73,553	3/4	61,928	3/4	50,303	3/4	38,679	3/4	27,054	3/4	15,733	3/4	4,114	3/4		3/4			
7	73,311	7	61,686	7	50,061	7	38,436	7	26,811	7	15,491	7	3,874	7		7			
1/4	73,069	1/4	61,444	1/4	49,819	1/4	38,194	1/4	26,569	1/4	15,249	1/4	3,633	1/4		1/4			
1/2	72,827	1/2	61,202	1/2	49,577	1/2	37,952	1/2	26,327	1/2	15,007	1/2	3,393	1/2		1/2			
3/4	72,584	3/4	60,960	3/4	49,335	3/4	37,710	3/4	26,085	3/4	14,765	3/4	3,154	3/4		3/4			
8	72,342	8	60,717	8	49,092	8	37,468	8	25,843	8	14,522	8	2,914	8		8			
1/4	72,100	1/4	60,475	1/4	48,850	1/4	37,225	1/4	25,601	1/4	14,280	1/4	2,675	1/4		1/4			
1/2	71,858	1/2	60,233	1/2	48,608	1/2	36,983	1/2	25,358	1/2	14,038	1/2	2,436	1/2		1/2			
3/4	71,616	3/4	59,991	3/4	48,366	3/4	36,741	3/4	25,123	3/4	13,796	3/4	2,199	3/4		3/4			
9	71,374	9	59,749	9	48,124	9	36,499	9	24,889	9	13,554	9	1,962	9		9			
1/4	71,131	1/4	59,506	1/4	47,882	1/4	36,257	1/4	24,654	1/4	13,311	1/4	1,726	1/4		1/4			
1/2	70,889	1/2	59,264	1/2	47,639	1/2	36,014	1/2	24,419	1/2	13,069	1/2	1,489	1/2		1/2			
3/4	70,647	3/4	59,022	3/4	47,397	3/4	35,772	3/4	24,184	3/4	12,827	3/4	1,287	3/4		3/4			
10	70,405	10	58,780	10	47,155	10	35,530	10	23,950	10	12,585	10	1,086	10		10			
1/4	70,163	1/4	58,538	1/4	46,913	1/4	35,288	1/4	23,715	1/4	12,343	1/4	884	1/4		1/4			
1/2	69,920	1/2	58,296	1/2	46,671	1/2	35,046	1/2	23,481	1/2	12,100	1/2	683	1/2		1/2			
3/4	69,678	3/4	58,053	3/4	46,428	3/4	34,804	3/4	23,246	3/4	11,858	3/4	562	3/4		3/4			
11	69,436	11	57,811	11	46,186	11	34,561	11	23,012	11	11,616	11	441	11		11			
1/4	69,194	1/4	57,569	1/4	45,944	1/4	34,319	1/4	22,777	1/4	11,374	1/4	320	1/4		1/4			
1/2	68,952	1/2	57,327	1/2	45,702	1/2	34,077	1/2	22,543	1/2	11,132	1/2	199	1/2		1/2			
3/4	68,709	3/4	57,085	3/4	45,460	3/4	33,835	3/4	22,308	3/4	10,890	3/4	158	3/4		3/4			

STRAPPED: 01/19/2010 CL - SW  
CALCULATED: 01/19/2010 CL  
PRINTED: 01/19/2010 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE WEB 126"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	
0	0	0	0	0	0	143,420	0	133,113	0	122,806	0	112,499	0	102,192	0	91,885	0	81,578		
1/4	1/4	1/4	1/4	1/4	1/4	143,206	1/4	132,899	1/4	122,591	1/4	112,284	1/4	101,977	1/4	91,670	1/4	81,363		
1/2	1/2	1/2	1/2	1/2	1/2	142,991	1/2	132,684	1/2	122,377	1/2	112,070	1/2	101,762	1/2	91,455	1/2	81,148		
3/4	3/4	3/4	3/4	3/4	3/4	142,776	3/4	132,469	3/4	122,162	3/4	111,855	3/4	101,548	3/4	91,241	3/4	80,933		
1	1	1	1	1	1	142,561	1	132,254	1	121,947	1	111,640	1	101,333	1	91,026	1	80,719		
1/4	1/4	1/4	1/4	1/4	1/4	142,347	1/4	132,040	1/4	121,732	1/4	111,425	1/4	101,118	1/4	90,811	1/4	80,504		
1/2	1/2	1/2	1/2	1/2	1/2	142,132	1/2	131,825	1/2	121,518	1/2	111,211	1/2	100,903	1/2	90,596	1/2	80,289		
3/4	3/4	3/4	3/4	3/4	3/4	141,917	3/4	131,610	3/4	121,303	3/4	110,996	3/4	100,689	3/4	90,382	3/4	80,074		
2	2	2	2	2	2	141,703	2	131,395	2	121,088	2	110,781	2	100,474	2	90,167	2	79,860		
1/4	1/4	1/4	1/4	1/4	1/4	141,488	1/4	131,181	1/4	120,874	1/4	110,566	1/4	100,259	1/4	89,952	1/4	79,645		
1/2	1/2	1/2	1/2	1/2	1/2	141,273	1/2	130,966	1/2	120,659	1/2	110,352	1/2	100,045	1/2	89,737	1/2	79,430		
3/4	3/4	3/4	3/4	3/4	3/4	141,058	3/4	130,751	3/4	120,444	3/4	110,137	3/4	99,830	3/4	89,523	3/4	79,216		
3	3	3	3	3	3	140,844	3	130,536	3	120,229	3	109,922	3	99,615	3	89,308	3	79,001		
1/4	1/4	1/4	1/4	1/4	1/4	140,629	1/4	130,322	1/4	120,015	1/4	109,707	1/4	99,400	1/4	89,093	1/4	78,786		
1/2	1/2	1/2	1/2	1/2	1/2	140,414	1/2	130,107	1/2	119,800	1/2	109,493	1/2	99,186	1/2	88,878	1/2	78,571		
3/4	3/4	3/4	3/4	3/4	3/4	140,199	3/4	129,892	3/4	119,585	3/4	109,278	3/4	98,971	3/4	88,664	3/4	78,357		
4	4	4	4	4	4	149,003	4	139,985	4	129,678	4	119,370	4	109,063	4	98,756	4	88,449	4	78,142
1/4	1/4	1/4	1/4	1/4	1/4	148,985	1/4	139,770	1/4	129,463	1/4	119,156	1/4	108,849	1/4	98,541	1/4	88,234	1/4	77,927
1/2	1/2	1/2	1/2	1/2	1/2	148,968	1/2	139,555	1/2	129,248	1/2	118,941	1/2	108,634	1/2	98,327	1/2	88,020	1/2	77,712
3/4	3/4	3/4	3/4	3/4	3/4	148,896	3/4	139,340	3/4	129,033	3/4	118,726	3/4	108,419	3/4	98,112	3/4	87,805	3/4	77,498
5	5	5	5	5	5	148,824	5	139,126	5	128,819	5	118,511	5	108,204	5	97,897	5	87,590	5	77,283
1/4	1/4	1/4	1/4	1/4	1/4	148,753	1/4	138,911	1/4	128,604	1/4	118,297	1/4	107,990	1/4	97,682	1/4	87,375	1/4	77,068
1/2	1/2	1/2	1/2	1/2	1/2	148,681	1/2	138,696	1/2	128,389	1/2	118,082	1/2	107,775	1/2	97,468	1/2	87,161	1/2	76,853
3/4	3/4	3/4	3/4	3/4	3/4	148,538	3/4	138,482	3/4	128,174	3/4	117,867	3/4	107,560	3/4	97,253	3/4	86,946	3/4	76,639
6	6	6	6	6	6	148,395	6	138,267	6	127,960	6	117,653	6	107,345	6	97,038	6	86,731	6	76,424
1/4	1/4	1/4	1/4	1/4	1/4	148,252	1/4	138,052	1/4	127,745	1/4	117,438	1/4	107,131	1/4	96,824	1/4	86,516	1/4	76,209
1/2	1/2	1/2	1/2	1/2	1/2	148,109	1/2	137,837	1/2	127,530	1/2	117,223	1/2	106,916	1/2	96,609	1/2	86,302	1/2	75,995
3/4	3/4	3/4	3/4	3/4	3/4	147,903	3/4	137,623	3/4	127,315	3/4	117,008	3/4	106,701	3/4	96,394	3/4	86,087	3/4	75,780
7	7	7	7	7	7	147,697	7	137,408	7	127,101	7	116,794	7	106,486	7	96,179	7	85,872	7	75,565
1/4	1/4	1/4	1/4	1/4	1/4	147,491	1/4	137,193	1/4	126,886	1/4	116,579	1/4	106,272	1/4	95,965	1/4	85,657	1/4	75,350
1/2	1/2	1/2	1/2	1/2	1/2	147,286	1/2	136,978	1/2	126,671	1/2	116,364	1/2	106,057	1/2	95,750	1/2	85,443	1/2	75,136
3/4	3/4	3/4	3/4	3/4	3/4	147,071	3/4	136,764	3/4	126,457	3/4	116,149	3/4	105,842	3/4	95,535	3/4	85,228	3/4	74,921
8	8	8	8	8	8	146,856	8	136,549	8	126,242	8	115,935	8	105,628	8	95,320	8	85,013	8	74,706
1/4	1/4	1/4	1/4	1/4	1/4	146,641	1/4	136,334	1/4	126,027	1/4	115,720	1/4	105,413	1/4	95,106	1/4	84,799	1/4	74,491
1/2	1/2	1/2	1/2	1/2	1/2	146,427	1/2	136,119	1/2	125,812	1/2	115,505	1/2	105,198	1/2	94,891	1/2	84,584	1/2	74,277
3/4	3/4	3/4	3/4	3/4	3/4	146,212	3/4	135,905	3/4	125,598	3/4	115,290	3/4	104,983	3/4	94,676	3/4	84,369	3/4	74,062
9	9	9	9	9	9	145,997	9	135,690	9	125,383	9	115,076	9	104,769	9	94,461	9	84,154	9	73,847
1/4	1/4	1/4	1/4	1/4	1/4	145,782	1/4	135,475	1/4	125,168	1/4	114,861	1/4	104,554	1/4	94,247	1/4	83,940	1/4	73,632
1/2	1/2	1/2	1/2	1/2	1/2	145,568	1/2	135,261	1/2	124,953	1/2	114,646	1/2	104,339	1/2	94,032	1/2	83,725	1/2	73,418
3/4	3/4	3/4	3/4	3/4	3/4	145,353	3/4	135,046	3/4	124,739	3/4	114,432	3/4	104,124	3/4	93,817	3/4	83,510	3/4	73,203
10	10	10	10	10	10	145,138	10	134,831	10	124,524	10	114,217	10	103,910	10	93,603	10	83,295	10	72,988
1/4	1/4	1/4	1/4	1/4	1/4	144,924	1/4	134,616	1/4	124,309	1/4	114,002	1/4	103,695	1/4	93,388	1/4	83,081	1/4	72,774
1/2	1/2	1/2	1/2	1/2	1/2	144,709	1/2	134,402	1/2	124,095	1/2	113,787	1/2	103,480	1/2	93,173	1/2	82,866	1/2	72,559
3/4	3/4	3/4	3/4	3/4	3/4	144,494	3/4	134,187	3/4	123,880	3/4	113,573	3/4	103,265	3/4	92,958	3/4	82,651	3/4	72,344
11	11	11	11	11	11	144,279	11	133,972	11	123,665	11	113,358	11	103,051	11	92,744	11	82,436	11	72,129
1/4	1/4	1/4	1/4	1/4	1/4	144,065	1/4	133,757	1/4	123,450	1/4	113,143	1/4	102,836	1/4	92,529	1/4	82,222	1/4	71,915
1/2	1/2	1/2	1/2	1/2	1/2	143,850	1/2	133,543	1/2	123,236	1/2	112,928	1/2	102,621	1/2	92,314	1/2	82,007	1/2	71,700
3/4	3/4	3/4	3/4	3/4	3/4	143,635	3/4	133,328	3/4	123,021	3/4	112,714	3/4	102,407	3/4	92,099	3/4	81,792	3/4	71,485

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 26'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE WEB 126"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	71,270	0	60,963	0	50,656	0	40,349	0	30,042	0	19,742	0	9,445	0	109	0		0	
1/4	71,056	1/4	60,749	1/4	50,441	1/4	40,134	1/4	29,827	1/4	19,528	1/4	9,230	1/4	73	1/4		1/4	
1/2	70,841	1/2	60,534	1/2	50,227	1/2	39,920	1/2	29,612	1/2	19,314	1/2	9,015	1/2	37	1/2		1/2	
3/4	70,626	3/4	60,319	3/4	50,012	3/4	39,705	3/4	29,398	3/4	19,100	3/4	8,801	3/4		3/4		3/4	
1	70,412	1	60,104	1	49,797	1	39,490	1	29,183	1	18,885	1	8,586	1		1		1	
1/4	70,197	1/4	59,890	1/4	49,582	1/4	39,275	1/4	28,968	1/4	18,671	1/4	8,371	1/4		1/4		1/4	
1/2	69,982	1/2	59,675	1/2	49,368	1/2	39,061	1/2	28,753	1/2	18,457	1/2	8,156	1/2		1/2		1/2	
3/4	69,767	3/4	59,460	3/4	49,153	3/4	38,846	3/4	28,539	3/4	18,243	3/4	7,942	3/4		3/4		3/4	
2	69,553	2	59,245	2	48,938	2	38,631	2	28,324	2	18,028	2	7,727	2		2		2	
1/4	69,338	1/4	59,031	1/4	48,724	1/4	38,416	1/4	28,109	1/4	17,814	1/4	7,512	1/4		1/4		1/4	
1/2	69,123	1/2	58,816	1/2	48,509	1/2	38,202	1/2	27,895	1/2	17,600	1/2	7,297	1/2		1/2		1/2	
3/4	68,908	3/4	58,601	3/4	48,294	3/4	37,987	3/4	27,680	3/4	17,385	3/4	7,083	3/4		3/4		3/4	
3	68,694	3	58,387	3	48,079	3	37,772	3	27,465	3	17,171	3	6,868	3		3		3	
1/4	68,479	1/4	58,172	1/4	47,865	1/4	37,558	1/4	27,250	1/4	16,957	1/4	6,653	1/4		1/4		1/4	
1/2	68,264	1/2	57,957	1/2	47,650	1/2	37,343	1/2	27,036	1/2	16,743	1/2	6,439	1/2		1/2		1/2	
3/4	68,049	3/4	57,742	3/4	47,435	3/4	37,128	3/4	26,821	3/4	16,528	3/4	6,224	3/4		3/4		3/4	
4	67,835	4	57,528	4	47,220	4	36,913	4	26,606	4	16,314	4	6,009	4		4		4	
1/4	67,620	1/4	57,313	1/4	47,006	1/4	36,699	1/4	26,391	1/4	16,100	1/4	5,794	1/4		1/4		1/4	
1/2	67,405	1/2	57,098	1/2	46,791	1/2	36,484	1/2	26,177	1/2	15,885	1/2	5,580	1/2		1/2		1/2	
3/4	67,191	3/4	56,883	3/4	46,576	3/4	36,269	3/4	25,962	3/4	15,671	3/4	5,365	3/4		3/4		3/4	
5	66,976	5	56,669	5	46,362	5	36,054	5	25,747	5	15,457	5	5,151	5		5		5	
1/4	66,761	1/4	56,454	1/4	46,147	1/4	35,840	1/4	25,533	1/4	15,242	1/4	4,936	1/4		1/4		1/4	
1/2	66,546	1/2	56,239	1/2	45,932	1/2	35,625	1/2	25,318	1/2	15,028	1/2	4,722	1/2		1/2		1/2	
3/4	66,332	3/4	56,024	3/4	45,717	3/4	35,410	3/4	25,103	3/4	14,813	3/4	4,508	3/4		3/4		3/4	
6	66,117	6	55,810	6	45,503	6	35,195	6	24,888	6	14,598	6	4,294	6		6		6	
1/4	65,902	1/4	55,595	1/4	45,288	1/4	34,981	1/4	24,674	1/4	14,384	1/4	4,080	1/4		1/4		1/4	
1/2	65,687	1/2	55,380	1/2	45,073	1/2	34,766	1/2	24,459	1/2	14,169	1/2	3,866	1/2		1/2		1/2	
3/4	65,473	3/4	55,166	3/4	44,858	3/4	34,551	3/4	24,244	3/4	13,954	3/4	3,652	3/4		3/4		3/4	
7	65,258	7	54,951	7	44,644	7	34,337	7	24,029	7	13,739	7	3,439	7		7		7	
1/4	65,043	1/4	54,736	1/4	44,429	1/4	34,122	1/4	23,815	1/4	13,525	1/4	3,226	1/4		1/4		1/4	
1/2	64,828	1/2	54,521	1/2	44,214	1/2	33,907	1/2	23,600	1/2	13,310	1/2	3,013	1/2		1/2		1/2	
3/4	64,614	3/4	54,307	3/4	43,999	3/4	33,692	3/4	23,386	3/4	13,095	3/4	2,800	3/4		3/4		3/4	
8	64,399	8	54,092	8	43,785	8	33,478	8	23,171	8	12,881	8	2,588	8		8		8	
1/4	64,184	1/4	53,877	1/4	43,570	1/4	33,263	1/4	22,957	1/4	12,666	1/4	2,376	1/4		1/4		1/4	
1/2	63,970	1/2	53,662	1/2	43,355	1/2	33,048	1/2	22,742	1/2	12,451	1/2	2,164	1/2		1/2		1/2	
3/4	63,755	3/4	53,448	3/4	43,141	3/4	32,833	3/4	22,528	3/4	12,236	3/4	1,954	3/4		3/4		3/4	
9	63,540	9	53,233	9	42,926	9	32,619	9	22,314	9	12,022	9	1,744	9		9		9	
1/4	63,325	1/4	53,018	1/4	42,711	1/4	32,404	1/4	22,099	1/4	11,807	1/4	1,534	1/4		1/4		1/4	
1/2	63,111	1/2	52,803	1/2	42,496	1/2	32,189	1/2	21,885	1/2	11,592	1/2	1,324	1/2		1/2		1/2	
3/4	62,896	3/4	52,589	3/4	42,282	3/4	31,974	3/4	21,671	3/4	11,377	3/4	1,146	3/4		3/4		3/4	
10	62,681	10	52,374	10	42,067	10	31,760	10	21,457	10	11,163	10	967	10		10		10	
1/4	62,466	1/4	52,159	1/4	41,852	1/4	31,545	1/4	21,242	1/4	10,948	1/4	789	1/4		1/4		1/4	
1/2	62,252	1/2	51,945	1/2	41,637	1/2	31,330	1/2	21,028	1/2	10,733	1/2	610	1/2		1/2		1/2	
3/4	62,037	3/4	51,730	3/4	41,423	3/4	31,116	3/4	20,814	3/4	10,518	3/4	503	3/4		3/4		3/4	
11	61,822	11	51,515	11	41,208	11	30,901	11	20,600	11	10,304	11	395	11		11		11	
1/4	61,607	1/4	51,300	1/4	40,993	1/4	30,686	1/4	20,385	1/4	10,089	1/4	288	1/4		1/4		1/4	
1/2	61,393	1/2	51,086	1/2	40,778	1/2	30,471	1/2	20,171	1/2	9,874	1/2	181	1/2		1/2		1/2	
3/4	61,178	3/4	50,871	3/4	40,564	3/4	30,257	3/4	19,957	3/4	9,660	3/4	145	3/4		3/4		3/4	

STRAPPED: 01/19/2010 CL - SW  
CALCULATED: 01/19/2010 CL  
PRINTED: 01/19/2010 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 126"

## SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	183	0	365	0	549	0	732	0	915	0		0					
1/4	4	1/4	186	1/4	369	1/4	552	1/4	736	1/4	919	1/4		1/4					1/4
1/2	8	1/2	190	1/2	373	1/2	556	1/2	740	1/2	922	1/2		1/2					1/2
3/4	11	3/4	194	3/4	376	3/4	560	3/4	744	3/4	926	3/4		3/4					3/4
1	15	1	198	1	380	1	564	1	747	1	930	1		1					1
1/4	19	1/4	202	1/4	384	1/4	568	1/4	751	1/4	934	1/4		1/4					1/4
1/2	23	1/2	206	1/2	388	1/2	572	1/2	755	1/2	938	1/2		1/2					1/2
3/4	26	3/4	209	3/4	392	3/4	575	3/4	759	3/4	942	3/4		3/4					3/4
2	30	2	213	2	396	2	579	2	762	2	945	2		2					2
1/4	34	1/4	217	1/4	399	1/4	583	1/4	766	1/4	949	1/4		1/4					1/4
1/2	38	1/2	221	1/2	403	1/2	587	1/2	770	1/2	953	1/2		1/2					1/2
3/4	41	3/4	225	3/4	407	3/4	591	3/4	774	3/4	957	3/4		3/4					3/4
3	45	3	229	3	411	3	595	3	778	3	961	3		3					3
1/4	49	1/4	232	1/4	415	1/4	598	1/4	781	1/4	965	1/4		1/4					1/4
1/2	53	1/2	236	1/2	418	1/2	602	1/2	785	1/2	968	1/2		1/2					1/2
3/4	57	3/4	240	3/4	422	3/4	606	3/4	789	3/4	972	3/4		3/4					3/4
4	60	4	244	4	426	4	610	4	793	4	976	4		4					4
1/4	64	1/4	248	1/4	430	1/4	614	1/4	796	1/4	980	1/4		1/4					1/4
1/2	68	1/2	251	1/2	434	1/2	618	1/2	800	1/2	984	1/2		1/2					1/2
3/4	72	3/4	255	3/4	438	3/4	621	3/4	804	3/4	988	3/4		3/4					3/4
5	75	5	259	5	441	5	625	5	808	5	991	5		5					5
1/4	79	1/4	263	1/4	445	1/4	629	1/4	811	1/4	995	1/4		1/4					1/4
1/2	83	1/2	267	1/2	449	1/2	633	1/2	815	1/2	999	1/2		1/2					1/2
3/4	87	3/4	271	3/4	453	3/4	637	3/4	819	3/4	1,003	3/4		3/4					3/4
6	91	6	274	6	457	6	641	6	823	6	1,007	6		6					6
1/4	94	1/4	278	1/4	461	1/4	644	1/4	827	1/4	1,010	1/4		1/4					1/4
1/2	98	1/2	282	1/2	464	1/2	648	1/2	831	1/2	1,014	1/2		1/2					1/2
3/4	102	3/4	286	3/4	468	3/4	652	3/4	834	3/4	1,018	3/4		3/4					3/4
7	106	7	290	7	472	7	656	7	838	7	1,022	7		7					7
1/4	110	1/4	294	1/4	476	1/4	660	1/4	842	1/4	1,026	1/4		1/4					1/4
1/2	114	1/2	297	1/2	480	1/2	664	1/2	846	1/2	1,029	1/2		1/2					1/2
3/4	117	3/4	301	3/4	484	3/4	667	3/4	850	3/4	1,033	3/4		3/4					3/4
8	121	8	305	8	487	8	671	8	854	8	1,037	8		8					8
1/4	125	1/4	309	1/4	491	1/4	675	1/4	857	1/4	1,041	1/4		1/4					1/4
1/2	129	1/2	313	1/2	495	1/2	679	1/2	861	1/2	1,044	1/2		1/2					1/2
3/4	133	3/4	316	3/4	499	3/4	683	3/4	865	3/4	1,048	3/4		3/4					3/4
9	137	9	320	9	503	9	686	9	869	9	1,052	9		9					9
1/4	140	1/4	324	1/4	507	1/4	690	1/4	873	1/4	1,056	1/4		1/4					1/4
1/2	144	1/2	328	1/2	510	1/2	694	1/2	876	1/2	1,059	1/2		1/2					1/2
3/4	148	3/4	331	3/4	514	3/4	698	3/4	880	3/4	1,063	3/4		3/4					3/4
10	152	10	335	10	518	10	702	10	884	10	1,067	10		10					10
1/4	156	1/4	339	1/4	522	1/4	706	1/4	888	1/4	1,071	1/4		1/4					1/4
1/2	160	1/2	343	1/2	526	1/2	709	1/2	892	1/2	1,074	1/2		1/2					1/2
3/4	163	3/4	346	3/4	530	3/4	713	3/4	896	3/4	1,078	3/4		3/4					3/4
11	167	11	350	11	533	11	717	11	899	11	1,082	11		11					11
1/4	171	1/4	354	1/4	537	1/4	721	1/4	903	1/4	1,086	1/4		1/4					1/4
1/2	175	1/2	358	1/2	541	1/2	725	1/2	907	1/2	1,090	1/2		1/2					1/2
3/4	179	3/4	361	3/4	545	3/4	729	3/4	911	3/4	1,093	3/4		3/4					3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT "HERMETIC" VALVE.

STRAPPED: 01/20/2010 CL - SW  
CALCULATED: 01/20/2010 CL  
PRINTED: 01/20/2010 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77598  
<http://www.pmacorp.net>